Available online at www.sciencedirect.com
SCIENCE DIRECT®
Aquaculture
ELSEVIER
Aquaculture 225 (2003) 475–477
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 225

VOL. 225 NOS. 1–4 **14 July 2003**

Special Issue: Fish Nutrition and Feeding

Introduction
M. Alexis and I. Nengas (Athens, Greece) 1

Feedstuff/Diet Evaluation

Optimal diet composition for European whitefish (*Coregonus lavaretus*): carbohydrate stress and immune parameter responses
J. Vielma, J. Koskela (Valkola, Finland), K. Ruohonen (Turku, Finland), I. Jokinen (Jyväskylä, Finland) and J. Kettunen (Helsinki, Finland) 3

Effects of dietary protein level and form on production characteristics and ammonia excretion of red drum *Sciaenops ocellatus*
K.A. Webb Jr. and D.M. Gatlin III (College Station, TX, USA) 17

Optimal diet composition for European whitefish (*Coregonus lavaretus*): analysis of growth and nutrient utilisation in mixture model trials
K. Ruohonen (Turku, Finland), J. Koskela, J. Vielma (Valkola, Finland) and J. Kettunen (Helsinki, Finland) 27

Effects of the timing of the introduction of feeds containing different protein and lipid levels on the performance and quality of Atlantic salmon, *Salmo salar*, over the entire seawater phase of growth
P.C. Morris, C. Beattie (Northwich, UK), B. Elder (Fort William, UK), J. Finlay, P. Gallimore, W. Jewison, D. Lee, K. Mackenzie, R. McKinney, R. Sinnott (Northwich, UK), A. Smart (Fort William, UK) and M. Weir (Northwich, UK) 41

Nutritional value of heat-treated soybean meal for channel catfish (*Ictalurus punctatus*)
H. Peres (Oporto, Portugal), C. Lim and P.H. Klesius (Auburn Al, USA) 67

A practical broodstock diet for the mangrove red snapper, *Lutjanus argentimaculatus*
A.C. Emata and I.G. Borlongan (Tigbauan, Philippines) 83

Potential of feed pea (*Pisum sativum*) meal as a protein source in practical diets for milkfish (*Chanos chanos* Forsskal)
I.G. Borlongan, P.S. Eusebio (Tigbauan, Philippines) and T. Welsh (Moscow, ID, USA) . . . 89

Short- and long-term effects of refeeding on key enzyme activities in glycolysis–gluconeogenesis in the liver of gilthead seabream (*Sparus aurata*)
I. Metón, F. Fernández and I.V. Baanante (Barcelona, Spain) 99

Organoleptic and volatile aroma compounds comparison of wild and cultured gilthead sea bream (*Sparus aurata*): sensory differences and possible chemical basis
K. Grigorakis (Athens, Greece), K.D.A. Taylor (Lincoln, UK) and M.N. Alexis (Athens, Greece) 109

Utilization of feed pea, *Pisum sativum*, meal as a protein source in practical diets for juvenile tiger shrimp, *Penaeus monodon*
M.N. Bautista-Teruel, P.S. Eusebio (Tigbauan, Philippines) and T.P. Welsh (Moscow, ID, USA) 121
White muscle free amino acid concentrations following feeding a maize gluten dietary protein in Atlantic salmon (*Salmo salar* L.)
E. Mente (Aberdeen, UK), S. Deguara (West Lothian, UK), M.B. Santos and D. Houlihan (Aberdeen, UK) 133
Effects of dietary fatty acid profile and fat content on smolting and seawater performance in Atlantic salmon (*Salmo salar* L.)
E.Å. Bendiksen (Trondheim, Norway), A.M. Arnesen and M. Jobling (Tromsø, Norway) . . 149
Lipid to carbohydrate ratio in donkey's ear abalone (*Haliotis asinina*, Linne) diets
S. Thongrod, M. Tamtin (Bangkok, Thailand), C. Chairat (Phetchaburi Province, Thailand) and M. Boonyaratpalin (Bangkok, Thailand) 165
Comparison of energy and protein efficiency among three fish species gilthead sea bream (*Sparus aurata*), European sea bass (*Dicentrarchus labrax*) and white grouper (*Epinephelus aeneus*): energy expenditure for protein and lipid deposition
I. Lupatsch, G.Wm. Kissil (Eilat, Israel) and D. Sklan (Rehovot, Israel) 175
Asian seabass *Lates calcarifer* perform well when fed pelleted diets high in protein and lipid
K.C. Williams (Cleveland, Qld., Australia), C.G. Barlow, L. Rodgers, I. Hockings, C. Agcopra and I. Ruscoe (Walkamin, Qld., Australia) 191
Effect of extrusion of wheat and corn on gilthead sea bream (*Sparus aurata*) growth, nutrient utilization efficiency, rates of gastric evacuation and digestive enzyme activities
B. Venou, M.N. Alexis, E. Fountoulaki, I. Nengas, M. Apostolopoulou and I. Castritsi-Catharíou (Athens, Greece) 207
Digestibility of dry matter, protein, starch and lipid by cod, *Gadus morhua*: comparison of sampling methods
G.-I. Hemre (Bergen, Norway), Ø. Karlsen, A. Mangor-Jensen (Austevoll, Norway) and G. Rosenlund (Stavanger, Norway) 225

Lipids and Fatty Acids

Qualitative needs of lipids by mullet, *Mugil cephalus*, fry during freshwater acclimation
M. El Cafsi, M.S. Romdhane (Tunis, Tunisia), A. Chaouch (Monastir, Tunisia), W. Masmoudi, S. Khériji (Tunis, Tunisia), F. Chanussot (Marseilles, France) and A. Chérif (Tunis, Tunisia) 233
Dietary lipid requirement of grouper, *Epinephelus malabaricus*, and effects on immune responses
Y.-H. Lin and S.-Y. Shiau (Chilung, Taiwan) 243
Effects of alternative dietary lipid sources on performance, tissue chemical composition, mitochondrial fatty acid oxidation capabilities and sensory characteristics in brown trout (*Salmo trutta* L.)
G.M. Turchini, T. Mentasti (Milan, Italy), L. Frøyland (Bergen, Norway), E. Orban (Rome, Italy), F. Caprino, V.M. Moretti and F. Valfrè (Milan, Italy) 251
Effect of dietary essential fatty acids on growth, body composition and blood chemistry of juvenile starry flounder (*Platichthys stellatus*)
S.-M. Lee (Gangneung, South Korea), J.H. Lee (Uljin-Kun, South Korea) and K.-D. Kim (Gangneung, South Korea) 269
Fatty acid profile of fish following a change in dietary fatty acid source: model of fatty acid composition with a dilution hypothesis
J.H. Robin, C. Regost, J. Arzel (Plouzané, France) and S.J. Kaushik (Saint-Pée-sur-Nivelle, France) 283
Growth, digestibility and fatty acid utilization in large Atlantic salmon (*Salmo salar*) fed varying levels of n-3 and saturated fatty acids
D. Menoyo, C.J. Lopez-Bote, J.M. Bautista (Madrid, Spain) and A. Obach (Stavanger, Norway) 295

Effects of dietary arachidonic acid (20:4*n*-6), on growth, body composition, and tissue fatty acid profile of gilthead bream fingerlings (*Sparus aurata* L.)
E. Fountoulaki, M.N. Alexis, I. Nengas and B. Venou (Athens, Greece) 309
Morphological aspects of intestinal cells from gilthead seabream (*Sparus aurata*) fed diets containing different lipid sources
M.J. Caballero, M.S. Izquierdo (Telde, Spain), E. Kjørsvik (Trondheim, Norway), D. Montero, J. Socorro (Telde, Spain), A.J. Fernández (Arucas, Spain) and G. Rosenlund (Stavanger, Norway) 325
Comparison of cholestane and yttrium oxide as digestibility markers for lipid components in Atlantic salmon (*Salmo salar* L.) diets
C.G. Carter (Launceston, Tas., Australia), T.E. Lewis and P.D. Nichols (Hobart, Tas., Australia) 341
Vegetable lipid sources for gilthead seabream (*Sparus aurata*): effects on fish health
D. Montero, T. Kalinowski (Telde, Spain), A. Obach (Stavanger, Norway), L. Robaina (Telde, Spain), L. Tort (Barcelona, Spain), M.J. Caballero and M.S. Izquierdo (Telde, Spain) 353

Vitamins and Minerals
Influence of dietary vitamin C on the wound healing process in rainbow trout (*Oncorhynchus mykiss*)
T. Wahli (Bern, Switzerland), V. Verlhac (Saint-Louis, France), P. Girling (Bern, Switzerland), J. Gabaudan (Saint-Louis, France) and C. Aebischer (Basle, Switzerland) 371
Comparison of L-ascorbyl-2-monophosphate-Ca with L-ascorbyl-2-monophosphate-Na/Ca on growth and tissue ascorbic acid concentrations in Korean rockfish (*Sebastes schlegeli*)
X. Wang, K.-W. Kim and S.C. Bai (Busan, South Korea) 387
Dietary vitamin B_6 requirement of grass shrimp, *Penaeus monodon*
S.-Y. Shiau and M.-H. Wu (Keelung, Taiwan) 397
Hepatic carotenoid uptake in rainbow trout (*Oncorhynchus mykiss*) using an isolated organ perfusion model
G.I. Page and S.J. Davies (Plymouth, UK) 405
The effect of chromium picolinate on growth and carbohydrate utilization in tilapia, *Oreochromis niloticus* × *Oreochromis aureus*
Q. Pan, S. Liu, Y.-G. Tan and Y.-Z. Bi (Canton, PR China) 421
Availability of supplemental amino acid-chelated trace elements in diets containing tricalcium phosphate and phytate to rainbow trout, *Oncorhynchus mykiss*
M.J.S. Apines (Tokyo, Japan; Miag-ao, Philippines), S. Satoh, V. Kiron, T. Watanabe and T. Aoki (Tokyo, Japan) 431

Larval Nutrition
A preliminary study on the molecular weight profile of soluble protein nitrogen in live food organisms for fish larvae
A.P. Carvalho, A. Oliva-Teles (Oporto, Portugal) and P. Bergot (Saint-Pée-sur-Nivelle, France) 445
Evaluation of microdiets versus live feeds on growth, survival and fatty acid composition of larval haddock (*Melanogrammus aeglefinus*)
T. Blair, J. Castell, S. Neil (St. Andrews, NB, Canada), L. D'Abramo (Mississippi State, MS, USA), C. Cahu (Plouzané, France), P. Harmon and K. Ogunmoye (St. Andrews, NB, Canada) 451
Microparticulate diets as first food for gilthead sea bream larva (*Sparus aurata*): study of fatty acid incorporation
J.H. Robin and B. Vincent (Plouzané, France) 463

Contents of *Aquaculture*, Volume 225 475